OMB Approved No. 2900-0776 Respondent Burden: 45 Minutes Expiration Date: 11/30/2017

	V.	
٨.	W.	• •
١,	v.	- 1
	_	

## **Department of Veterans Affairs**

## EYE CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.				
NAME OF PATIENT/VETERAN		PATIENT/VETERAN'S SOCIAL SECURITY NUMBER		
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim. This report is not for treatment purposes; it is to provide a summary of medical information for disability claims resolution. VA reserves the right to confirm the authenticity of ALL DBQ's completed by private health care providers.				
NOTE: This examination must be conducted by a licensed ophthalmologist or by a licensed optometrist. The examiner must identify the disease, injury or other pathologic process responsible for any decrease in visual acuity or other visual impairment found. Examinations of visual fields or muscle function should be conducted ONLY when there is a medical indication of disease or injury that may be associated with visual field defect or impaired muscle function. Unless medically contraindicated, the funds must be examined with the veteran's pupils dilated.				
	SECTION I - DIAGNOSIS			
NOTE: The diagnosis section should be filled out AFTER the cl 1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER	*	TON (other than concentral or developmental amore of		
refraction)?	BEEN DIAGNOSED WITH AN ETE CONDIT	10N (other than congenital or developmental errors of		
YES NO (If "Yes," provide only diagnosis that pertain	to eye conditions:)			
DIAGNOSIS # 1 -	ICD CODE -	DATE OF DIAGNOSIS -		
DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -		
DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -		
1B. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO I	EYE CONDITIONS, LIST USING ABOVE FO	PRMAT:		
2. DESCRIBE THE HISTORY (including onset and course) OF THE	ECTION II - MEDICAL HISTORY VETERAN'S CURRENT EYE CONDITION/S	S) (Briof summary)		
2. BESSAIDE THE HISTORY (including observant course) of the	VETER WAS SOLKEN TETE SOLVENION (C	o) (Breg sammary).		
SECT	ION III - PHYSICAL EXAMINATION			
1. VISUAL ACUITY				
Visual acuity should be reported according to the lines on the Snellen chart or its equivalent. If assessment of the veteran's visual acuity falls between two lines on the Snellen chart, round up to the higher (worse) level (poorer vision) for answers a-d below. (For example, 20/60 would be reported as 20/70; 20/80 would be reported as				
20/100. etc.)				
Examination of visual acuity must include central uncorrected and corrected visual acuity for distance and near vision. Evaluate visual acuity on the basis of corrected distance vision with central fixation. Visual acuity should not be determined with eccentric fixation or viewing.				
a. Uncorrected distance:				
RIGHT: 5/200 20/400 15/200 20/20	0 20/100 20/70 20/9	50 20/40 or better		
LEFT: 5/200 20/400 15/200 20/20				
b. Uncorrected near:				
RIGHT: 5/200 20/400 15/200 20/20				
LEFT: 5/200 20/400 15/200 20/20	0 20/100 20/70 20/9	50 20/40 or better		
c. Corrected distance:  RIGHT: 5/200 20/400 15/200 20/200 20/100 20/70 20/50 20/40 or better				
LEFT: 5/200 20/400 15/200 20/20				
d. Corrected near:				
RIGHT: 5/200 20/400 15/200 20/20				
LEFT: 5/200 20/400 15/200 20/20	0 20/100 20/70 20/5	50 20/40 or better		

SECTION III - PHYSICAL EXAMINATION (Continued)			
2. DIFFERENCE IN CORRECTED VISUAL ACUITY FOR DISTANCE AND NEAR VISION  Does the veteran have a difference equal to two or more lines on the Snellen test type chart or its equivalent between distance and near corrected vision, with the near vision being worse?			
Yes No (If "Yes," complete Items 2A thru 2C)			
a. Provide a second recording of corrected distance and near vision			
Second recording of corrected distance vision:         RIGHT:       5/200       20/400       15/200       20/200       20/100       20/70       20/50       20/40 or better         LEFT:       5/200       20/400       15/200       20/200       20/100       20/70       20/50       20/40 or better			
Second recording of corrected near vision:         RIGHT:       5/200       20/400       15/200       20/200       20/100       20/70       20/50       20/40 or better         LEFT:       5/200       20/400       15/200       20/200       20/100       20/70       20/50       20/40 or better			
b. Explain reason for the difference between distance and near corrected vision			
c. Does the lens required to correct distance vision in the poorer eye differ by more than 3 diopters from the lens required to correct distance vision in the better eye?  Yes No (If "Yes," explain reason for the difference)			
3. PUPILS			
a. Pupil diameter: Right: mm Left: mm			
b. Pupils are round and reactive to light? Yes No			
c. Is an afferent papillar defect present? Yes No			
(If "Yes," indicate eye(s)) Right Both			
d. Other, describe:			
Eyes affected Right Left Both			
4. ANATOMICAL LOSS, LIGHT PERCEPTION ONLY, EXTREMELY POOR VISION OR BLINDNESS  Does the veteran have anatomical loss, light perception only, extremely poor vision or blindness of either eye?			
Yes No (If "Yes," complete Items 4A thru 4E)			
a. Does the veteran have anatomical loss of either eye?			
If "Yes," indicate for which eye Right Left Both			
If "Yes," is veteran able to wear an ocular prosthesis Yes No			
If "No," provide reason			
b. Is the veteran's vision limited to no more than light perception only in either eye?			
c. Is the veteran able to recognize test letters at 1 foot or closer?			
If "No," indicate with which eye(s) the veteran is unable to recognize test letters at 1 foot or closer    Right   Left   Both			
If "No," indicate with which eye(s) the veteran is unable to perceive objects, hand movements, or count fingers at 3 feet: Right Both			
e. Does the veteran have visual acuity of 20/200 or less in the better eye with use of a correcting lens based upon visual acuity loss (i.e. USA statutory blindness with bilateral visual acuity of 20/200 or less)?  Yes No			
5. ASTIGMATISM  Does the veteral have a correct irregularity that regults in covers irregular estigmation?  Ves. No.			
Does the veteran have a corneal irregularity that results in severe irregular astigmatism? Yes No (If "Yes," complete Items 5A and 5B)			
a. Does the veteran customarily wear contact lenses to correct for the above corneal irregularity?  Yes  No  If "Yes," does using contact lenses result in more visual improvement than using the standard spectacle correction?  Yes  No			
b. Was the corrected visual acuity determined using contact lenses? Yes No			
If "No," explain:			

SECTION III - PHYSICAL EXAMINATION (Continued)				
6. DIPLOPIA  Does the veteran have diplopia	a (double vision)? Yes	☐ No		
a. Provide etiology (such as tro	aumatic injury, thyroid eye dis	sease, myasthenia gravis, etc	.):	
	a. Provide etiology (such as traumatic injury, thyroid eye disease, myasthenia gravis, etc.):			
the central field (20 degrees or Report the results from the Gol	b. The areas of diplopia must be documented on a Goldmann perimeter chart that identifies the four major quadrants (upward, downward, left lateral and right lateral) and the central field (20 degrees or less). Include the chart with this questionnaire.  Report the results from the Goldmann perimeter chart below.  Indicate the areas where diplopia is present (the fields in which the veteran sees double using binocular vision)			
Central 20 degrees	21 to 30 degrees	31 to 40 degrees	Greater than 40 degrees	
	Down	Down	Down	
	Lateral	Lateral	Lateral	
	Up	Up	Up	
c. Indicate frequency of the dip		Occasional		
d. Is the diplopia correctable wi	ith standard spectacle correction	on? Yes No	(If "No," complete Item 6E)	
e. Is the diplopia correctable wi	ith standard spectacle correction	on that includes a special prisr	natic correction? Yes No	
7. TONOMETRY	provide regulte:			
<ul><li>a. If tonometry was performed,</li><li>Right eye pressure:</li></ul>	Left eye pres	sure:		
b. Tonometry method used:		<del></del>		
Goldmann applanation Other (Describe):				
8. SLIT LAMP AND EXTERNA	AL EYE EXAM			
a. External exam/lids/lashes:  Right: Normal	Other (Describe):			
Left: Normal	Other (Describe):			
b. Conjunctiva:				
Right: Normal Left: Normal	Other (Describe): Other (Describe):			
c. Cornea:	Guier (Describe).			
Right: Normal	Other (Describe):			
Left: Normal  d. Anterior chamber:	Other (Describe):			
Right: Normal	Other (Describe):			
Left: Normal	Other (Describe):			
e. Iris:  Right: Normal	Other (Describe):			
Left: Normal	Other (Describe):			
f. Lens:				
Right: Normal Left: Normal	Other (Describe):  Other (Describe):			
9. INTERNAL EYE EXAM (FUNDUS) Fundus:				
Normal bilaterally	Abnormal (If Abnormal, co	omplete Items 9A thru 9E)		
a. Optic disc:				
Right: Normal	Other (Describe):			
Left: Normal  b. Macula:	Other (Describe):			
Right: Normal	Other (Describe):			
Left: Normal	Other (Describe):			

SECTION III - PHYSICAL EXAMINATION (Continued)
9. INTERNAL EYE EXAM (Continued) c. Vessels
Right: Normal Other (Describe):
Left:
d. Vitreous  Right: Normal Other ( <i>Describe</i> ):
Left: Normal Other (Describe):
e. Periphery
Right: Normal Other (Describe):
Left: Normal Other (Describe):
10. VISUAL FIELDS
Does the veteran have a visual field defect (or a condition that may result in a visual field defect)?
Yes No (If "Yes," complete Items 10A thru 10E)
NOTE: For VA purposes, examiners must perform visual field testing using either Goldmann kinetic perimetry or automated perimetry using Humphrey Model 750, Octopus Model 101, or later versions of these perimetric devices with simulated kinetic Goldmann testing capability. The results must be recorded on a standard Goldmann chart providing at least 16 meridians 22½-degrees apart for each eye and included with this questionnaire.  If additional testing is necessary to evaluate visual fields, it must be conducted using either a tangent screen or a 30-degree threshold visual field with the Goldmann III stimulus size. The examination report must then include the tracing of either the tangent screen or of the 30-degree threshold visual field with the Goldmann III stimulus size.
a. Was visual field testing performed? Yes No
Results Using Goldmann's equivalent III/4e target
<ul> <li>Using Goldmann's equivalent IV/4e target (used for aphakic individuals not well adapted to contact lens correction or pseudophakic individuals not well adapted to intraocular lens implant)</li> <li>Other (Describe):</li> </ul>
b. Does the veteran have loss of a visual field? Yes No
c. Does the veteran have loss of a visual field? Yes No (If "Yes," check all that apply and indicate eye affected):
Homonymous hemianopsia Right Left Both Loss of temporal half of visual field Right Left Both Loss of nasal half of visual field Right Left Both Loss of inferior half of visual field Right Left Both Loss of superior half of visual field Right Left Both Coss of superior half of visual field Right Left Both Coss of superior half of visual field Right Left Both Cother (Specify:)
d. Does the veteran have a scotoma? Yes No (If "Yes," check all that apply and indicate eye affected):
Scotoma affecting at least 1/4 of the visual field Right Left Both Centrally located scotoma Right Left Both
e. Does the veteran have legal (statutory) blindness (visual field diameter of 20 degrees or less in the better eye, even if the corrected visual acuity is 20/20) based upon visual field loss?
Yes No
SECTION IV - EYE CONDITIONS  1. CONDITIONS  Does the veteran have any of the following eye conditions? Yes No (If "No," proceed to Section V) (If "Yes," check all that apply)
Anatomical loss of eyelids and/or brows (If checked, complete Item 2 below)  Lacrimal gland and lid disorders (other than ptosis or anatomic loss) (If checked, complete Item 3 below)  Ptosis, for either or both eyelids (If checked, complete Item 4 below)  Conjunctivitis and other conjunctival conditions (If checked, complete Item 5 below)  Corneal conditions (If checked, complete Item 6 below)  Inflammatory eye conditions and/or injuries (If checked, complete Item 8 below)  Glaucoma (If checked, complete Item 9 below)  Cataracts and lens conditions (If checked, complete Item 10 below)  Retinal conditions (If checked, complete Item 11 below)  Neurologic eye conditions (If checked, complete Item 12 below)  Tumors and Neoplasms (If checked, complete Item 13 below)  Other eye condition(s) (If checked, complete Item 14 below)
For each checked answer, complete the appropriate item (items 2 thru 14)

SECTION IV - EYE CONDITIONS (Continued)
2. ANATOMICAL LOSS OF EYELIDS, BROWS, LASHES
a. Indicate the condition and side affected <i>(Check all that apply)</i> Partial or complete loss of eyelid  Right  Left  Both
Complete loss of eyebrows Right Left Both
Complete loss of eyelashes Right Left Both
b. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to eyelid loss?  Yes No There is no decrease in visual acuity or other visual impairment  If "No," explain:
c. If present, does eyelid loss cause scarring or disfigurement? Yes No (If "Yes," complete Section V, Scarring and Disfigurement)
3. LACRIMAL GLAND AND LIP CONDITIONS
a. Indicate the veteran's condition(s) and side affected (Check all that apply):  Ectropion Side affected: Right Left Both  Entropion Side affected: Right Left Both  Lagophthalmos Side affected: Right Left Both  Disorders of the lacrimal apparatus (epiphora, dacryocystitis, etc.)  If checked, specify condition:
Side affected: Right Left Both
b. If present, does lacrimal or lid condition cause scarring or disfigurement?
4. PTOSIS
a. If ptosis is present, indicate side affected:
b. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to ptosis?  Yes No There is no decrease in visual acuity or other visual impairment  If "No," explain:
c. Does the Ptosis loss cause disfigurement?
5. CONJUNCTIVITIS AND OTHER CONJUCTIVAL CONDITIONS
a. Indicate type of conjunctivitis, activity, and side affected (check all that apply):  Trachomatous  Active Eye affected: Right Left Both Inactive Eye affected: Right Left Both Inactive Eye affected: Right Left Both Inactive Eye affected: Right Left Both
b. Indicate the veteran's other conjunctival conditions, if any (Check all that apply):  Pinguecula Eye affected: Right Left Both  Symblepharon Eye affected: Right Both  Other, describe:
Eye affected: Right Left Both
c. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to any of the eye conditions checked above in this section?  Yes No There is no decrease in visual acuity or other visual impairment
If "No," explain:
d. Does any eye condition in this section cause scarring or disfigurement?  Yes No (If "Yes," complete Section V, Scarring and Disfigurement)
6. CORNEAL CONDITIONS a. Has the veteran had a corneal transplant? Yes No
If "Yes," indicate side of transplant: Right Left Both
Indicate residuals (Check all that apply):
Pain Eye affected: Right Left Both Photophobia Eye affected: Right Left Both Glare sensitivity Eye affected: Right Left Both Other, (Describe):
Eye affected: Right Left Both
b. Does the veteran have keratoconus?
If "Yes," indicate eye affected Right Both

SECTION IV - EYE CONDITIONS (Continued)			
6. CORNEAL CONDITIONS (Continued)			
c. Does the veteran have pterygium?  Yes No			
If "Yes," indicate eye affected Right Left Both			
d. Does the veteran have another corneal condition that may result in an irregular cornea? (For example, pellucid marginal degeneration, irregular astigmatism from corneal scar, post-laser refractive surgery, acne rosacea keratopathy, etc.)  Yes No			
If "Yes," specify corneal condition			
Eye affected: Right Left Both			
e. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to keratoconus or another corneal condition, if present?    Yes   No   There is no decrease in visual acuity or other visual impairment   If "Yes," specify corneal condition responsible for visual impairment			
If "No," explain:			
f. Does any eye condition identified in this section cause scarring or disfigurement? Yes No (If "Yes," complete Section V, Scarring and Disfigurement)			
7. CATARACT AND OTHER LENS CONDITIONS			
a. Indicate cataract condition:  Preoperative (cataract is present)  Eye affected:  Right  Left  Both  Postoperative (cataract has been removed)  Eye affected:  Right  Left  Both			
Is there aphakia or dislocation of the crystalline lens?			
b. Is there a replacement intraocular lens?			
c. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to any of the eye conditions checked above in this section?  Yes No There is no decrease in visual acuity or other visual impairment			
If "Yes," specify corneal condition responsible for visual impairment  If "No," explain			
8. INFLAMMATORY EYE CONDITIONS AND/OR INJURIES			
a. Indicate the veteran's condition and eye affected:			
Choroidopathy (including uveitis, iritis, cyclitis, and choroiditis)			
Choroidopathy (including uveitis, iritis, cyclitis, and choroiditis) Right Both Right Both			
Keratopathy Right Left Both			
Keratopathy			
Keratopathy Right Left Both   Scleritis Right Left Both   Intraocular hemorrhage Right Left Both			
Keratopathy			
Right Left Both Scleritis Right Left Both Intraocular hemorrhage Right Left Both Unhealed eye injury Right Left Both Other, (Describe):  b. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to any eye condition and/or injury checked above in this section?			
Right Left Both Scleritis Right Left Both Intraocular hemorrhage Right Left Both Unhealed eye injury Right Left Both Other, (Describe):  b. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to any eye condition and/or injury checked above in this section?  Yes No There is no decrease in visual acuity or other visual impairment			
Keratopathy			
Right   Left   Both     Scleritis   Right   Left   Both     Intraocular hemorrhage   Right   Left   Both     Unhealed eye injury   Right   Left   Both     Other, (Describe):     b. Is the veteran's decrease in visual acuity or other visual impairment, if present, attributable to any eye condition and/or injury checked above in this section?     Yes   No   There is no decrease in visual acuity or other visual impairment     If "Yes," specify inflammatory or traumatic condition responsible for visual impairment     If "No," explain     c. Does any eye condition identified in this section cause scarring or disfigurement?   Yes   No (If "Yes," complete Section V, Scarring and Disfigurement)     9. GLAUCOMA   Angle-closure   Eye affected:   Right   Left   Both			
Keratopathy			

SECTION IV - EYE CONDITIONS (Continued)			
10. OPTIC NEUROPATHY AND OTHER DISC CONDITIONS			
a. Indicate the optic neuropathy and other disc conditions, and eye affecte	d (check all that apply):		
Drusen of optic disc Right Left	Both		
Ischemic optic neuropathy Right Left	Both		
Nutritional optic neuropathy Right Left	Both		
Optic atrophy Right Left	Both		
Other, (Describe):	Both		
b. Is the veteran's decrease in visual acuity or other visual impairment, if p	recent attributable to any of the eye conditions checked in Item 10A2		
	·		
If "Yes," specify optic neuropathy or disc condition responsible for visual in	npairment		
If "No," explain			
11. RETINAL CONDITIONS			
a. Indicate retinal condition and eye affected (check all that apply):	Dath		
Retinopathy Right Left	Both		
Maculopathy Right Left	Both		
☐ Detached retina ☐ Right ☐ Left ☐	Both		
Retinal hemorrhage Right Left	Both		
Centrally located retinal scars, atrophy Right Left or irregularities in either eye that result	Both		
in irregular, duplicated, enlarged or			
diminished image in either eye			
b. Is the veteran's decrease in visual acuity or other visual impairment, if p			
Yes No There is no decrease in visual acuity or other v	visual impairment		
If "Yes," specify retinal condition responsible for visual impairment			
If "No," explain			
12. NEUROLOGIC EYE CONDITIONS			
a. Indicate the veteran's neurologic eye condition/disorder:			
Nystagmus			
If checked, is nystagmus etiology central? Yes No			
Paresis/paralysis of 3rd cranial nerve (oculomotor)	Eye affected: Right Left Both		
Paresis/paralysis of 4th cranial nerve (trochlear)	Eye affected: Right Left Both		
Descriptional description (11)	Sur effected. Disht Dieft Doth		
Paresis/paralysis of 6th cranial nerve (abducens)	Eye affected: Right Left Both		
Paresis/paralysis of 7th cranial nerve (facial, Bell's palsy)	Eye affected: Right Left Both		
	Eye affected: Right Left Both		
Eye condition due to cerebrovascular accident (CVA)  If checked, specify eye condition attributable to CVA:	Lye allected.   Night   Left   Both		
in checked, specify eye condition attributable to CVA.			
Eye condition due to demyelinating disease	Eye affected: Right Left Both		
If checked, specify eye condition attributable to demyelinating dise	ase:		
Optic neuritis	Eye affected: Right Left Both		
Optic fledities	Lye allected.   Night   Left   Both		
Eye condition due to intracranial mass/tumor	Eye affected: Right Left Both		
If checked, specify eye condition attributable to intracranial mass/to	umor:		
The seadified due to become the basic letters (TRI)	Eye affected: Right Left Both		
Eye condition due to traumatic brain injury (TBI)	Lott Dott		
If checked, specify eye condition attributable to TBI:			
	ne the underlying neurologic condition (for example. Alzheimer's disease, Jakob-Creutzfeldt		
disease, etc.)			
Eye affected: Right Left Both			
	resent, attributable to any of the neurologic eye conditions checked above in this section?		
Yes No There is no decrease in visual acuity or other v	visual impairment		
If "Yes," specify condition responsible for visual impairment:			
If "No," explain:			

SECTION IV - EYE CONDITIONS (Continued)				
(If "Yes," complete Items 13A thru 13E):	ases related to any of the diagnosis listed in Section 1, Diagnosis? Yes No			
a. Is the neoplasm: Benign Malignant  b. Has the veteran completed treatment or is the veteran currently Yes No, watchful waiting If "Yes," indicate type of treatment the veteran is currently und Treatment completed; currently in watchful waiting status	undergoing treatment for a benign or malignant neoplasm or metastases? ergoing or has completed (Check all that apply):			
Surgery If checked, describe:  Date(s) of surgery:				
Radiation therapy  Date of most recent treatment:	Date of completion of treatment or anticipated date of completion:			
Antineoplastic chemotherapy  Date of most recent treatment:	Date of completion of treatment or anticipated date of completion:			
Other therapeutic procedure  If checked, describe procedure:  Date of most recent procedure:				
Other therapeutic treatment  If checked, describe treatment:				
Date of completion of treatment or anticipated date of con	noletion:			
documented in the report in Item 13B?  Yes No  If "Yes," list residual conditions and complication (Brief summary)	clications due to the neoplasm (including metastases) or its treatment, other than those already : ases related to any of the diagnosis in Section I, Diagnosis, describe using the format in Item 13B:			
e. Do any benign or malignant neoplasms or metastases identified (If "Yes," complete Section V, Scarring and Disfigurement)				
	GS, COMPLICATION, CONDITIONS, SIGNS AND/OR SYMPTOMS ical findings, complications, signs, and/or related to the condition at hand? Yes No			

SECTION V - SCARRING AND DISFIGUREMENT			
5. DOES THE VETERAN HAVE SCARRING OR DISFIGUREMENT ATTRIBUTABLE TO ANY EYE CONDITION?  Yes No			
IF YES, INDICATE SCAR ATTRIBUTES (check all that apply):			
Scar at least one-quarter inch (0.6cm) wide at widest part  Surface contour of scar elevated or depressed on palpation (or inspection in the case of sclera)  Scar adherent to underlying tissue (including eyelids adherent to scleral tissue)  Visible or palpable tissue loss  Gross distortion or asymmetry of one feature or paired set of features (eyes)			
NOTE: If possible, include color photographs with any report of scarring or disfigurement.			
SECTION VI - INCAPACITATING EPISODES  NOTE: For VA purposes, an incapacitating episode is a period of acute symptoms severe enough to require prescribed bed rest and treatment by a physician or other			
healthcare provider (For example, temporary bed rest required for a retinal condition).			
6A. DURING THE PAST 12 MONTHS, HAS THE VETERAN HAD ANY INCAPACITATING EPISODES ATTRIBUTABLE TO ANY EYE CONDITION?  Yes No			
If "Yes," specify the eye condition(s) causing incapacitating episodes:			
6B. DESCRIBE HOW THE EYE CONDITION(S) CAUSED INCAPACITATING EPISODES:			
6C. PROVIDE THE TOTAL DURATION FOR THE INCAPACITATING EPISODES FOR ALL INCAPACITATING CONDITIONS OVER THE PAST 12 MONTHS:  Less than 1 week  At least 1 week but less than 2 weeks  At least 2 weeks but less than 4 weeks  At least 4 weeks but less than 6 weeks  At least six weeks			

S	ECTION VII - FUNCTIONAL IMPACT		
7A. DOES THE VETERAN'S EYE CONDITION(S) IMPACT HIS O	R HER ABILITY TO WORK?		
Yes No			
If "Yes," describe the impact of each of the veteran's eye condition	s), providing one or more examples:		
	SECTION VIII DEMARKS		
8. REMARKS (If any)	SECTION VIII - REMARKS		
O. NEWANIO (IJ uniy)			
SECTION IX - OPTOME	TRIST/PHYSICIAN'S CERTIFICATION AN	ND SIGNATURE	
<b>CERTIFICATION</b> - To the best of my knowledge, the in	nformation contained herein is accurate, con	mplete and current.	
9A. OPTOMETRIST/PHYSICIAN'S SIGNATURE	9B. OPTOMETRIST/PHYSICIAN'S PRINTED I	NAME	9C. DATE SIGNED
9D. OPTOMETRIST/PHYSICIAN'S PHONE NUMBER 9. O	PTOMETRIST/PHYSICIAN'S MEDICAL	9F OPTOMETRIST/	PHYSICIAN'S ADDRESS
	CENSE NUMBER		
NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.			
IMPORTANT - Physician please fax the completed form to			
(VA Regional Office FAX No.)			
NOTE - A list of VA Regional Office FAX Numbers can be found at <a href="https://www.vba.va.gov/disabilityexams">www.vba.va.gov/disabilityexams</a> or obtained by calling 1-800-827-1000.			

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for

refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38)

U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

**RESPONDENT BURDEN:** We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 45 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at <a href="https://www.reginfo.gov/public/do/PRAMain">www.reginfo.gov/public/do/PRAMain</a>. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.